

Certificate of Analysis No. 133/2025

Product:	Cannabis for medical use – medicinal substance
Type:	Cannabis Flos
Strain:	007.25.2024.16.1.
Trade name of the product:	-
Type of medicinal substance:	dried flower
Package size:	10 grams
Irradiation:	none
Note:	23-25
Batch:	007.25.2024.16.1.
Expiry date:	-
Producer / Batch releaser:	SensiQure s.r.o., IČ: 119 81 504
Testing method:	Ph. Eur. Monograph (current edition)

Client:	SensiQure s.r.o., IČ: 119 81 504 Jizerská 851, Čakovice 196 00 Praha 9
---------	--

Range of Analyses:

Test	Method	Acceptance limits (Specification)	Results	Complies
Identity ^{1),3)}				
Odour	Ph.Eur.	Characteristic of cannabis flowers	Complies	YES
Macroscopic examination (appearance)	Ph.Eur 3028	Comply with monograph	Complies	YES
Microscopy	Ph.Eur. 3028/2.8.23	Comply with monograph	Complies	YES
TLC ³⁾	Ph.Eur. 3028/2.8.25	Comply with monograph	Complies	YES
Purity ^{1),3)}				
Loss on drying ³⁾	Ph.Eur. 3028/2.2.32	≤ 12%	9,02 %	YES
Foreign matter ¹⁾	Ph. Eur.3028/ 2.8.2	≤ 2 %	Complies	YES
Pesticides residues ¹⁾	Ph. Eur. 2.8.13	Below limits in Ph. Eur.	Complies	YES
Assay of cannabinoids content ¹⁾				
Total THC (tetrahydrocannabinol)	Ph. Eur. 3028/2.2.29	16,2 – 28,6 %	21,86 %	YES

Suma CBD (cannabidiol)	Ph. Eur. 3028/2.2.29	≤ 1,0 %	<LOQ (0,04) %	YES
Related substance Suma CBN (cannabinol)	Ph. Eur. 3028/2.2.29	≤ 1,0 %	0,13 %	YES
Absence of heavy metals ¹⁾				
Cadmium	Ph. Eur.3028/2.4.27	≤ 0,3 µg/g	≤ 0,3 µg/g	YES
Mercury and its compounds	Ph. Eur. 3028/2.4.27	≤ 0,1 µg/g	≤ 0,1 µg/g	YES
Lead	Ph. Eur. 3028/2.4.27	≤ 0,5 µg/g	≤ 0,5 µg/g	YES
Arsen	Ph. Eur.3028/2.4.27	≤ 0,2 µg/g	≤ 0,2 µg/g	YES
Mycotoxins purity ¹⁾				
Aflatoxin B1	Ph. Eur. 2.8.18	≤ 2 µg/kg	< 2 µg/kg	YES
Sum of aflatoxins (B1, B2, G1, G2)	Ph. Eur. 2.8.18	≤ 4 µg/kg	< 4 µg/kg	YES
Ochratoxin A	Ph. Eur. 2.8.22	≤ 20 µg/kg	< 20 µg/kg	YES
Microbiological purity ²⁾				
TAMC	Ph. Eur. 2.6.12, limits by 5.1.8 C	Max. 500.000 CFU/g	<1000	YES
TYMC	Ph. Eur. 2.6.12, limits by 5.1.8 C	Max. 50.000 CFU/g	1x10 ²	YES
Bile-tolerant Gram-negative bacteria	Ph. Eur. 2.6.31	≤ 10 ⁴ CFU/g	Absence/1g	YES
Escherichia coli	Ph. Eur. 2.6.31	Absence / 1 g	Absence/1g	YES
Salmonella sp.	Ph. Eur. 2.6.31	Absence / 25 g	Absence/25g	YES
Pseudomonas aeruginosa	Ph. Eur. 2.6.13, 5.1.8 C	Absence / 1 g	Absence / 1 g	YES
Staphylococcus aureus	Ph. Eur. 2.6.13, 5.1.8 C	Absence / 1 g	Absence / 1 g	YES

Testing sites:

¹⁾ Lagom Pharmatech s.r.o.
č.p. 401, 338 21 Osek, CZ
GMP certificate No.: suks12345/2025

²⁾ ITEST plus s.r.o.,
Kladská 1032, 500 03 Hradec Králové, CZ
GMP certificate No.: suks168097/2023

³⁾ Zdravotní ústav se sídlem v Ústí nad Labem,
Zkušební laboratoř Hradec Králové, pracoviště č. 1a HK,
Nezvalova 958, 500 03 Hradec Králové
GMP certificate No.: suks53186/2022

Conclusion of testing: The measurement results are in accordance with the customer's specification, No.: KLP001

Conclusion of testing:

I hereby confirm that the information provided is true and complete. This batch of product has been analysed to the extent requested by the customer, in full compliance with EU-GMP requirements.

The certificate was
issued by: Monika Snaiberkova
Controlled by: Sarka Sladkova
Number of pages: 3
Published on: 06.05.2025
Approved: Tomas Fabricky

